





Agrisearch with a human touch

(ICAR) Indian Institute of Soil Science Nabibagh, Berasia Road, Bhopal – 462 038 (M.P.) Tel. No.(0755)2730970/2734221 (Ext. No. 233 & 261) Fax. No. (0755) 2733310

F.No.6-	46/2016-17/IISS/	Date: 31/05/2016
10,		
	9.	
Sub:-	Quotation for Polyethylene Sheet	
Ref:-	This office quotation letter No 5-3	35/2014-15/P&S/IISS dt 06/05/2016
Dear Sir	r(s),	
		cted to inform you that last date of submission of quotation to technical reasons. Other terms & condition of quotation
		Lenel
		I/c Administrative Officer
Ilc	AKMU Cell	
for	uploading at	
115:	AKMU Cell uploading at s website	
d		

## BY SPEED POST/FAX



भारतीय मृदा विज्ञान संस्थान (भा0कृ0अनु0प0) नबीबाग, बैरसिया रोड, भोपाल — 462038

## Indian Institute of Soil Science(ICAR)

Nabibagh, Berasia Road, Bhopal - 462038 (M.P.)

Tel. No. (0755) 2747375 EPABX: 2730970/2734221 (Ext. No. 233 & 261) Fax. No. (0755) 2733310

F.No.5-335/2014-15/P&S/IISS	Dated: 06.05.2016
To,	

Sub:- Quotation for purchase of Polyethylene sheet for pond lining - reg. Dear Sir(s),

Reputed firms/Authorized firms are invited for quoting their rates for the supply of following stores as per under mentioned specifications: -

Name of item & Specification	Qty	Rate Rs.	Total Rs.
Polyethylene sheet	2500 M <sup>2</sup> (finish size)		
Specification:			
<ul> <li>Multi-layered cross laminated polythene film of minimum 250 GSM.</li> </ul>			
The film/ lining material must confirm to IS 14611-1998 Standards			
Only finished material as per pond size should be provided. Unfinished material will not be			
	Polyethylene sheet  Specification:  Multi-layered cross laminated polythene film of minimum 250 GSM.  The film/ lining material must confirm to IS 14611-1998 Standards Only finished material as per pond size should be provided.	Polyethylene sheet  Specification:  Multi-layered cross laminated polythene film of minimum 250 GSM.  The film/ lining material must confirm to IS 14611-1998 Standards Only finished material as per pond size should be provided. Unfinished material will not be	Polyethylene sheet  Specification:  Multi-layered cross laminated polythene film of minimum 250 GSM.  The film/ lining material must confirm to IS 14611-1998 Standards  Only finished material as per pond size should be provided. Unfinished material will not be

On the Spot Visit to farm pond at Institute's premises is advised before offering the rates. The drawing of the pond is also attached herewith.

## Relevant terms & conditions are as below: -

- O1. The rates should be quoted F.O.R. IISS, Nabi Bagh, Bhopal basis along with indicating separately brand name its price, packing forwarding, freight, tax percentage and insurance etc. in clear terms.
- 02. Quantity of discount, if any, should be indicated clearly.
- 03. This institute is registered with the Department of Scientific & Industrial Research (DSIR), Govt. of India for purposes of availing custom duty exemption in terms of Government. Notification No 51/96-Customs dated 23 July 1996 and central excise duty exemption in terms of Government Notification No. 10/97-Central Excise dated 1 March 1997.
- 04. Rates of Sales Tax and other taxes leviable should be indicated in clear terms separately. Sales Tax Registration/ TIN Number both under State and Central Tax Act/Rules should be separately indicated.
- 05. Unless otherwise mentioned in the quotation, it will be presumed that the quoted rates are inclusive of all taxes/levies and free delivery/installation at our Institute.
- 06. The rates quoted should be valid for 90 days from the date of opening of quotation.
- 07. There should be no cutting/ overwriting. The cutting if any should be duly attested.

- 08. Quotation should be submitted along with printed literature/ catalogue of the quoted make/ model and authorization certificate of the manufacturer.
- 09. Unattested/amended/overwritten figures will not be considered.
- 10. In all matters of disputes, the decision of the Director of this Institute shall be final and binding.
- 11. Minimum period of delivery of the stores/materials should clearly be specified in the quotation.
- 12. TDS/ VAT will be deducted from the bill as per applicable tax rules of GOI/M.P. Govt.
- 13. PAYMENT TERMS: Payment will be made within reasonable time say within 30 days from the date of receipt of material in good condition without any damage and after complete installation and satisfactory demonstration of working condition of the equipment in accordance with the ordered specification. Since the mode of payment will be e-payment system, hence Bank Account Number, name of bank with location and IFSC Code Number of Bank may be furnished on the body of the bill.
- 14. Quotation should be sent by in a sealed cover and the covering envelope should contain "Quotation for **Polyethylene sheet for pond lining** vide letter F.No.5-335/2014-15/P&S/IISS due 28.05.2016. Quotation received in an unsealed cover or received after the due date and those, which are ambiguous, are liable to be rejected. **The last date of receipt of above quotation is 28.05.2016**. This institute will not be responsible for any postal/speed post/courier delays.
- 15. **Bid Security (EMD)** Rs 8000/- must be submitted along with the quotation in the form of Demand Draft drawn in favour of "ICAR UNIT-IISS Bhopal" otherwise the bid will not be taken into consideration.
- 16. **Performance Security**: Within 10 (Ten) days after the issue of a letter by this Institute, the supplier, shall furnish performance security @ 10 % of ordered value in the form of Demand Draft in favour of "ICAR UNIT-IISS Bhopal" including the warranty obligation.
- 17. The Institute reserves the right to reject any or all the quotation(s) received without assigning any reason thereof.

Yours faithfully,

I/c Administrative Officer

## Copy to:-

- 1. I/c AKMU for uploading on IISS, website & CPP Portal.
- 2. Nodal Officer, CPP Portal, IISS, Bhopal for information and needful.