

भाठकृ0अनु0प0 –भारतीय मृदा विज्ञान संस्थान नबीबाग, बैरसियारोड, भोपाल– 462038 ICAR-Indian Institute of Soil Science Nabibagh, Berasia Road, Bhopal – 462038 (M.P.) Tel. No.(0755)2747375 EPABX:2730970/2734221 (Ext. No. 2330020& 261) Fax. No. (0755) 2733310, E-mail –director.iiss@icar.gov.in,



F. No. 2-32/2008-09/IISS

Dated: - 06.04.2023

INVITATION TO ONLINE TENDER AND INSTRUCTIONS CONTAINING TERMS AND CONDITIONS FOR

Repair & Maintenance of Residential Quarters

From: - Director,

ICAR-Indian Institute of Soil Science, Nabibagh, Berasia Road, Bhopal – 462038 (M.P.).

То

Dear Sir(s),

Online Tenders are hereby invited on behalf of the Director, ICAR-IISS, Bhopal for Repair & Maintenance of Residential Quarters.

SCOPE OF WORK:

Sno	DSR no	Item	Unit	Quantity	Rate	Amount
1	13.91	Removing dry or oil bound distemper, water proofing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete.	Sqm	800		
2	13.48.3	Finishing with Deluxe Multi surface paint system for interiors and exteriors using Primer as permanufacturers specifications : Painting Steel work with Deluxe Multi Surface Paint to give an even shade. Two or more coat applied @ 0.90 Itr/ 10 sqm over an under coat of primer applied @ 0.80 Itr/ 10 sqm of approved brand and manufacture	Sqm	200		
3	9.101.2	Providing and fixing aluminium hanging floor door stopper, ISI marked, anodized (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyedto required colour and shade, with necessary screws etc. complete.Twin rubber stopper	Each	13		

	4	8.2.2.1	Prov ding and fixing 18 mm thick gang saw cut, mirror	Sqm	4		.4
			polished, premoulded and prepolished, machine cut forkitchen platforms, vanity counters, window sills,				9
			facias and similar locations of required size,				
			approved shade, colour and texture laid over 20 mm				
			thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with				
			matching pigment. epoxy touch ups, including				
			rubbing, curing, moulding and polishing to edges to				
			give high gloss finish etc. complete at all				
			levels.Granite stone slab colour black, Cherry/Ruby red				
			Area of slab upto 0.50 sqm				
	5	8.5	Extra for providing opening of required size & shape for	Each	1		
			wash basin/ kitchen sink in kitchen platform, vanity		-		
			counter and similar location in marble/ Granite/				
			stonework, including necessary holes for pillar taps				
			etc. including moulding, rubbing and polishing of cut edgesetc. complete.				
	6	17.11.2	Providing and fixing white vitreous china laboratory	Each	3	1	
			sink with C.I. brackets, C.P. brass chain with rubber plug,				
			40 mm C.P brass waste and 40mm C.P. brass trap	-			
			with necessary C.P. brass unions complete, including				
			painting of fittings and brackets, cutting and making				
			good the wall wherever required Size 600x450x200 mm				
	7	11.41A mf	Providing and laying Vitrified tiles in floor in different	Sqm	20		
			sizes (thickness to be specified by the manufacturer)				
			with water absorption less than 0.08% and conforming to IS:15622, of approved brand &				
			manufacturer, in all colours and shade, laid on 20				
			mm thick cement mortar 1:4 (I cement: 4 coarse				
			sand) jointing with grey cementslurry @3.3 kg/sqm				
			including grouting the joints with white cement and matching pigments etc. The tiles must be cut with				
			the zero chipping diamond cutter only Laying of tiles				
			will be done with the notch trowel, plier, wedge,	1			
			clips of required thickness, leveling system and				
			rubber mallet for placing the tiles gently and easily. Size of Tile 300 x 300 mm				
	8	11.47.2	Providing and laying Vitrified tiles in different sizes	SQ M	200		
			(thickness to be specified by the manufacturer), with water absorption less than 0.08% and conforming to				
			IS: 15622, of approved brand & manufacturer, in all				
			colours and shade, in skirting, riser of steps, laid with cement based high polymer modified quick set tile				
			adhesive (water based) conforming to IS: 15477, in				
			average 6 mm thickness, including grouting of joints (Payment for grouting of joints to be made separately).				
			Size of Tile 600x600 mm				
	9	1J.48.2	Grouting the joints of flooring tiles having joints of 3		200		
	Í	13.40.2	mm width, using epoxy grout mix of 0.70 kg of	sqm	200		
			organic coated filler of desired shade (0.10 kg of hardener and				· · · ·
			0.20 kg of resin per kg), including filling / grouting				
			and finishing complete as per direction of Engineer-in- charge.	•			
			Size of Tile 600x600 mm				
A DECK DECK	- Action and						

				and the same of a state of the	
10	13.82.2	Wall painting with acrylic emulsion paint, having VOC (Volatile Organic Compound) content less than 50 grams/ litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour. Two coats	Sqm	855	
11	NS	Providing and fixing PVC terrace water storage tank of 1000.00 litre capacity multilayer from water supply line with all connection and accessory.	Nos	2	
12	14.79	Disconnecting damaged overhead/terrace PVC water storage tank of any size from water supply line and removing from the terrace including shifting at ground level as per direction of Engineer-in-charge.	Each	3	
13	14.80.1	Providing & fixing White vitreous china water closet squatting pan (Indian type) along with "S" or "P" trap including dismantling of old WC seat and "S" or "P" trap at site complete with all operations including all necessary materials, labour and disposal of dismantled material i/c malba, all complete as per the direction of Engineer-in charge. Long pattern W.C Pan of size 580x440 mm	Each	1	
14	17.68.1	Providing and fixing vitreous china dual purpose closet suitable for use as squatting pan or European type water closet (Anglo Indian W.C pan) with seat & lid fixed with C.P. brass hinges and rubber buffers, TO litre low level flushing cistern with fitting and brackets, 40 mm flush bend, 20 mm over flow pipe, with specials of standard make and mosquito proof coupling of approved municipal design complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required: White vitreous china dual purpose WC pan with white solid plastic seat and lid with white vitreous china flushing cistern and C.P. flush bend.	Each	2	
15	17.28.1.1	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete Semi rigid pipe 32 mm dia	Each	4	
16	9.SI.1	Providing and fixing fly proof galvanized M.S. wire gauge to windows and clerestory windows using wire gauge with average width of aperture 1.4 mm in both directions with wire of dia 0.63 mm all complete. With 2nd class teak wood beading 62X19 mm	Sqm	10	
17	NS	Servicing of doors with all required items including nut bolts hinges and making the door smooth functioning	Nos	17	
18	NS	Servicing of window with all required items including nut bolts hinges and making the door smooth functioning	Nos	27	
19	18.62	Providing and fixing PTMT Ball cock of approved quality, colour and make complete with Epoxy coated aluminium rod with L.P./ H.P.H.D. plastic ball. 20 mm nominal bore, 120 mm long, weighing not less than 198 gms	Each	3	
20	NS	MS steel door and door frame .	Sqm	2	
21	NS	Name plate -plates should be fixed as near as possible to street corners, so as to be easily readable by drivers as well as pedestrians. The name plate should normally be within 3 metres of the intersection of the kerb lines, but where this is not practicable the distance may be varied up to a maximum of 6 metres	Nos	1	

22	18.22.2	Providing and fixing C.P. brass shower rose with 15 or 20 mm inlet " 150 mm diameter	each	2	- Lý	
					Total	

- 1. The site is located at Institute Farm at Nabi Bagh, Berasia Road, Bhopal. <u>The</u> firms are requested to visit the site before quoting the rates.
- 2. Firms should provide registration certificate of registration with CPWD/State PWD/MES/P&T/Railway, Aadhar Card, Pan Card, GST Registration of the firm etc for technical evaluation.
- 3. Rates of GST should be indicated in clear terms separately. Firm's GST Registration Number should be indicated in the quotation.
- 4. Unless otherwise mentioned in the quotation, it will be presumed that the quoted rates are inclusive of all taxes / levies and free delivery at our Institute.
- 5. Manufacturer's name, their trademark and brand, if any, should invariably be mentioned in the quotation. Illustrated leaflets, giving technical particulars, operational manual etc. should be sent along with the quotation to facilitate consideration of offer.
- 6. The rates quoted should be valid for 90 days from the date of opening or quotation / financial bid.
- 7. There should be no cutting / overwriting. The cutting if any should be duly attested.
- 8. Unattested / amended / overwritten figures will not be considered.
- In all matters of disputes, the decision of the Director of this Institute shall be final and binding.
- 10. The period of completion of work should clearly be specified in the quotation. However, the time allowed by this Institute will be 10 days from the date of issue of work order.
- 11. The payment will be made within reasonable time say within **30 days after the completion of work** at this Institute. Taxes are applicable by Central / State Govt. will be deducted from the bill. Since the mode of payment will be e-payment system, hence Bank account number, Name of the Bank with location and IFSC code of Bank may be furnished on the body of the bill.
- 12. Conditional bids shall not be considered. No overwriting or cutting is permitted in the tender documents.
- 13. **Performance Security:** Before undertaking the work after the issue of notification of award (i.e. supply order) by this Institute, the Supplier, shall furnish performance security to the Institute for an amount of 3% (Three Percent) of the contractual obligations by the Supplier, including the warranty obligation.
- 14. The Institute reserves the Right to reject any or all the quotation(s) received without assigning any reason thereof.

- 15. The contractor shall be entirely responsible for the security and safety of persons employed by him.
- 16.During the work, the contractor shall be responsible for any loss caused by its worker and shall be recovered from the bill.
- 17.TDS will be deducted as per rules.
- 18.Institute will not responsible for unloading, handling, storing, staking of the material at site.

Senior Administrative Officer

Distribution:

- 1. Indenter, IISS, Bhopal.
- 2. I/c AKMU with the request to upload the quotation letter on the Institute website.
- 3. CPPP Portal.



ICAR – INDIAN INSTITUTE OF SOIL SCIENCE NABI BAGH, BERASIA ROAD, BHOPAL – 462038

TENDER DOCUMENT

INVITATION TO ONLINE TENDER AND INSTRUCTIONS CONTAINING TERMS AND CONDITIONS FOR <u>Repair & Maintenance of Residential Quarters</u>

Contact Details: SENIOR ADMINISTRATIVE OFFICER ICAR – INDIAN INSTITUTE OF SOIL SCIENCE, NABI BAGH, BERASIA ROAD, BHOPAL – 462038, MADHYA PRADESH TEL. NO (0755) 2747375, 2730970 (EXT. NO. 233 & 134) FAX. NO. (0755) 2733310 E-mail: <u>director.iiss@icar.gov.in</u>, Website <u>https://iiss.icar.gov.in</u>



भाठकृ०अनु०प० –भारतीय मृदा विज्ञान संख्यान नबीबाग, बैरसियारोड, भोपाल– 462038 ICAR-Indian Institute of Soil Science Nabibagh, Berasia Road, Bhopal – 462038 (M.P.) Tel. No.(0755)2747375 EPABX:2730970/2734221 (Ext. No. 2330020& 261) Fax. No. (0755) 2733310, E-mail –director.iiss@icar.gov.in



F. No. 2-32/2008-09/IISS

Dated: - 06.04.2023

TENDER NOTICE

Online bids are invited from reputed & interested firms for Work of Repair and Maintenance of Residential Quarters at ICAR Unit IISS, Bhopal. A DD / FDR of Rs. 25,000/- (Rupees Twenty Five Thousand only) as earnest money deposit (EMD) is to be made in favor of ICAR Unit-IISS, Bhopal and may be addressed to Director, ICAR-IISS, Bhopal.

1.	Details of Tender Deposit		
	Earnest Money Deposit	Rs. 25,000/- (Rupees Eight Thousand Only)	
	Security Deposit	3 % of the total value of contract	

Tender Schedule (Critical Date Sheet)

Tender ld	
Tender No.	2-32/2008-09/ IISS
Name of Organization	Indian Institute of Soil Science
Date and Time for issue / Publishing	06-Apr-2023 04:00 PM
Document Download / Sale Start Date and Time	06-Apr-2023 05:00 PM
Document Download / Sale End Date and Time	27-Apr-2023 06:00 PM
Bid Submission Start Date and Time	06-Apr-2023 07:00 PM
Bid Submission End Date and Time	27-Apr-203 06:00 PM
Technical Bid Opening Start Date and Time	28-Apr-2022 10:00 AM
Price Bid Opening Start Date and Time	To be notified later
Address for Communication	Director, Indian Institute of Soil Science,
	Nabibagh, Berasia Road, Bhopal-462038

Online bids are invited under two-bid system (containing technical bid & financial bid) through e-procurement system of CPP portal from registered / well-established / reputed firms at ICAR-IISS, Bhopal. The instructions for uploading the tender / quotation may be obtained from the website of CPP Portal i.e. https://eprocure.gov.in/eprocure/app.

Tender form, terms & conditions can be downloaded from the website <u>https://eprocure.gov.in</u>, up to **06:00** pm of **27/04/2023** and <u>https://iiss.icar.gov.in</u>. Online bids complete in all respects should be submitted through CPP Portal <u>https://eprocure.gov.in</u> only on or before the last date and time i.e.**27/04/2023** at **06:00** PM.

In case, holiday is declared by the Government on the day of opening of bids, the bids will be opened on the next working day at the same time. The Director, IISS, Bhopal reserves the right to accept or reject any of all the tenders without assigning any reasons.

Please note that only online bids submitted through CPP Portal will be accepted. The <u>lumpsum</u> rates quoted in the uploaded BOQ shall only be considered for comparison of financial bids. Technical Bid and Financial Bid (BOQ) should be uploaded separately.

Senior Administrative Officer ICAR-IISS, Bhopal eProcurement System Government of India

INT EP	rocu	rem	ent		Tender	Details			3.1.		
000		tem		1.1.1				Date	e : 06-Apr	-2023	03.17 P
nonde sent	543	cerri						Date		2023	00.17 11
				1		31.1					🖨 Print
Basic Deta	ils			111			1	13		the state	-
Organisation	Chain					d Education Indian of Soil Science-Bhop		l of Agricul	ltural		
Tender Refer Number	ence	F. No.	2-32/2008	8-09/IISS				h.	14.		1
Tender ID		2023_1	DARE_748	364_1		allar (a li	1.5	1	
Fender Type		Open 7	Tender		Form	n of contract	1.5	Works	14		
Fender Categ	jory	Works		17	No. c	of Covers	1.4	2	-12	4.10	
General Tech Evaluation A		No		1		Wise Technical uation Allowed		No		1	
Payment Moo	de	Offline			Is M For E	ulti Currency Allov 30Q	ved	No			à e e
Is Multi Curre Allowed For I		No	2		Allov	w Two Stage Biddi	ng	No			
		1				61					
Payment I	nstrun	nents			Cover	Details, No. Of	Cove	rs - 2			
Offline S.No	Instrur		pe 🎻		Cover No	Cover	Do	ocument '	Туре	Desc	ription
1 2	Demand FDR	Draft	SIX A	1 Bar	1	Fee/PreQual/Techr	nical .po	if		Tende	50
		1.34		1	2	Finance	.xl	5	1	BOQ	
										-	
Tender Fee	Datai		tal Eoo i	n ¥ * - 0 (100	EMD Fee Detail	c				
	1	.00		11 (- 0.0			-	EMO	Abuquak		Yes
Tender Fee i			Free Day	able At	NI	EMD Amount in ₹	25,00		through ST or EM		res
Fee Payable Tender Fee		lil lo	Fee Pay	able At	INII				nption		
Exemption						EMD Fee Type	fixed	EMD	Percent	age	NA
Allowed	and the second sec										
Allowed	Ν.		1		[EMD Payable To	ICAR IISS	Unit EMD	Payable	e At	Bhopal
Allowed	1		1			EMD Payable To					
Allowed	1		1			EMD Payable To			Payable		
		a F			[EMD Payable To					
	<u>n(s)</u>				L						
Work /Iter Title				tenance of Re	esidential	Quarters					
Work /Iter Fitle Work Descrip	otion	Repair	and Main	tenance of Re	esidential	Quarters					
Work /Iter Title Work Descrip Pre Qualifica Details	otion	Repair Please	and Main		esidential	Quarters					
Work /Iter Title Work Descrip Pre Qualifica Details Independent External	otion tion	Repair	and Main	tenance of Re	esidential	Quarters					
Work /Iter Title Work Descrip Pre Qualifica Details Independent External Monitor/Ren Show Tender	otion tion narks Value	Repair Please	and Main	tenance of Re	esidential	Quarters					
Work /Iter Fitle Work Descrip Pre Qualifica Details Independent External Monitor/Ren Show Tender in Public Don	narks Value nain	Repair Please NA	and Main	tenance of Re	esidential esidential ts.	Quarters	IISS		view mod		
Work /Iter Title Work Descrip Pre Qualifica Details Independent External Monitor/Ren Show Tender in Public Don Tender Value	otion tion narks Value nain e in ₹	Repair Please NA No	r and Main e refer Ten	tenance of Re der documen	esidential esidential ts. tegory	Quarters Quarters	IISS Sub c	Click to	view mod	lificatio	
Work /Iter Title Work Descrip Pre Qualifica Details Independent External Monitor/Ren Show Tender in Public Don Tender Value Contract Typ	otion tion narks Value nain e in ₹	Repair Please NA No 0.00	r and Main e refer Ten	tenance of Re der documen Product Ca	esidential esidential ts. tegory	Quarters Quarters Civil Works	IISS Sub c Perior (Days	Click to Click to dof Work		lificatio	
Allowed Work /Iter Title Work Descrip Pre Qualifica Details Independent External Monitor/Ren Show Tender in Public Don Tender Value Contract Typ Location Pre Bid Meet Address	otion tion Narks Value nain e in ₹ e	Repair Please NA No 0.00 Tende	r and Main e refer Ten	tenance of Re der documen Product Ca Bid Validity	esidential esidential ts. tegory (Days)	Quarters Quarters Civil Works 180 462038	Sub c Period (Days Pre B Place	Click to Click to dof Work	view mod	NA 10	n histor

Page 1 of 2

Tender Governmen	t Bidder		
eProcuremei	nt		
Publish Date	06-Apr-2023 04:00 PM	Bid Opening Date	28-Apr-2023 04:00 PM
Document Download / Sale Start Date	06-Apr-2023 05:00 PM	Document Download / Sale End Date	27-Apr-2023 04:00 PM
Clarification Start Date	NA	Clarification End Date	NA
Bid Submission Start Date	06-Apr-2023 06:00 PM	Bid Submission End Date	27-Apr-2023 04:00 PM

NIT Document	S.No	Document Name	5	Description		Document Size (in KB)
	1	Tendernotice_1.pdf		Tender docume Residential Qua	ent Repair and Maintenance of irters	2547.15
Work Item Documents	S.No	Document Type	Docume	ent Name	Description	Document Size (in KB)
	1	BOO	BOO 786	828 xls	Bog	298.50

Bid Op	eners List		
S.No	Bid Opener Login Id	Bid Opener Name	Certificate Name
1.	anupam.rajput@icar.gov.in	Anupam Sahasi Rajput	ANUPAM SAHASI RAJPUT
2.	mahesh.mulani@icar.gov.in	Mahesh Kumar Mulani	MAHESH KUMAR MULANI
3.	babita.tiwari@icar.gov.in	Babita Tiwari	BABITA TIWARI
		the second design of the second se	

Tender Properties	1 ⁽¹⁾		
Auto Tendering Process allowed	No	Show Technical bid status	Yes
Show Finance bid status	Yes	Show Bids Details	Yes
BoQ Comparative Chart model	Normal	BoQ Compartive chart decimal places	2
BoQ Comparative Chart Rank Type	L	Form Based BoQ	No .

Name	Senior Administrative Officer		
Address	ICAR-Indian Institute of Soil Science, Nabibagh Berasia Road, Bhopal		

Tender Creator Details		
Created By	Babita Tiwari	and the second
Designation	Assistant Administrative Officer	
Created Date	06-Apr-2023 03:09 PM	and the second